



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA HCS 2024

Issuing Date 24-Jan-1989

Revision date 09-Apr-2026

Revision Number 10.01

1. Identification

Product identifier

Product Name HELIUM

Other means of identification

UN number or ID number UN1046

Synonyms MTG SDS 48; HELIUM GAS; HELIUM COMPRESSED; HELIUM-4; ATOMIC HELIUM; UN 1046; He

Other information Classification determined in accordance with Compressed Gas Association standards.

Recommended use of the chemical and restrictions on use

Recommended use Industrial and Specialty Gas Applications

Restrictions on use None known

Details of the supplier of the safety data sheet

Manufacturer Address

Nippon Sanso Matheson, Inc.
909 Lake Carolyn Parkway
Suite 1100
Irving, TX 75039
General Information: 1-800-416-2505

Emergency telephone number

Emergency telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

2. Hazard(s) identification

Classification of the substance or mixture

Gases under pressure	Compressed gas
Simple asphyxiants	Yes

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Warning

**Hazard statements**

Contains gas under pressure; may explode if heated.
May displace oxygen and cause rapid suffocation.

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other information

Rapid release of compressed gas may cause frostbite.

3. Composition/information on ingredients**Substance**

Chemical Family Inorganic, Gas

Chemical name	CAS No.	Weight-%	Trade secret / Unique identifier
Helium	7440-59-7	100	-

4. First-aid measures**Description of first aid measures**

General advice Show this safety data sheet to the doctor in attendance.

Inhalation IF exposed or concerned: Get medical advice and attention. Remove person to fresh air and keep comfortable for breathing.

Eye contact In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Skin contact Get immediate medical attention. If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). If warm water is not available, gently wrap affected parts in blankets.

Ingestion Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Frostbite. Suffocation.

Effects of Exposure None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For inhalation, consider oxygen.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not direct water at source of leak or safety devices; icing may occur.

Specific hazards arising from the chemical Negligible fire hazard. Pressurized containers may rupture or explode if exposed to sufficient heat.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Do not direct water at source of leak or safety devices; icing may occur. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Use water spray to reduce vapors or divert vapor cloud drift. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Contents under pressure. Ensure adequate ventilation. Evacuate personnel to safe areas. Wear personal protective clothing and equipment, see Section 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Use water spray to reduce vapors or divert vapor cloud drift. Keep unnecessary and unprotected personnel away from spillage. Ventilate the area. Stay upwind and keep out of low areas.

Methods for cleaning up Do not direct water at spill or source of leak. Eliminate all ignition sources if safe to do so. Damaged cylinders should be handled only by specialists.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Contents under pressure. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

this product. Remove contaminated clothing and shoes. Ensure adequate ventilation. Avoid breathing gas. Wear personal protective equipment. Close valve after each use and when empty.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store locked up. Store in accordance with local regulations. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. For additional and specific safe practices consult the following Compressed Gas Association (CGA) publications: P-1 "Safe Handling of Compressed Gases in Cylinders", AV-1 "Safe Handling and Storage of Compressed Gases", and "Compressed Gas Handbook". Keep away from Incompatible materials.

8. Exposure controls/personal protection**Control Parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Helium 7440-59-7	: See Appendix F: Minimal Oxygen Content Sa	-	-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls**Engineering controls**

Provide local exhaust ventilation. Use only equipment of compatible materials on construction.

Individual protection measures, such as personal protective equipment**Eye/face protection**

For the gas: Eye protection not required, but recommended. For the liquid: Contact lenses should not be worn. Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.

Hand protection

For the gas: Protective gloves are not required, but recommended. For the liquid: Wear insulated gloves.

Skin and body protection

For the gas: Protective clothing is not required, but recommended. For the liquid: Wear appropriate protective, cold insulating clothing.

Respiratory protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Consider warning properties before use. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Compressed gas
Physical state	Gas
Color	Colorless
Odor (includes odor threshold)	Odorless

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	-272 °C / -457.6 °F	
Boiling point (or initial boiling point or boiling range)	-269 °C / -452.2 °F	
Flammability		Non-flammable gas
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity	0.02012 cP	
Solubility	Insoluble in: Alcohol	No data available
Water solubility	0.94%	@ 0 °C
Partition coefficient n-octanol/water (log value)		No data available
Vapor pressure (includes evaporation rate)	1719 mmHg	@ -268 °C
Evaporation rate		No data available
Density and/or relative density	0.1785 g/L	@ 0 °C
Bulk density		No data available
Liquid Density		No data available
Relative vapor density	0.138	(air = 1)
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

Other information

Molecular formula	He
Molecular weight	4.0026
VOC content	No information available
Softening point	No information available

Information with regard to physical hazard classes

Explosives	
Explosive properties	No information available
Gases under pressure	
Critical Temperature °C	-267.9 °C
Oxidizing properties	No information available

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat. Protect from physical damage. Containers may rupture or explode if

exposed to heat.

Incompatible materials None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Suffocation. Nausea. Vomiting. Difficulty in breathing. Irregular heartbeat. Headache. Fatigue. Dizziness. Disorientation. Emotional disturbances. Tingling sensation. Incoordination. Unconsciousness. Convulsions. Coma.

Eye contact Contact with product may cause frostbite.

Skin contact Contact with product may cause frostbite.

Ingestion Ingestion of gas unlikely.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Frostbite. Suffocation.

Acute toxicity

Numerical measures of toxicity Based on available data, the classification criteria are not met.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard Not applicable.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT

UN number or ID number	UN1046
Proper shipping name	Helium, compressed
Transport hazard class(es)	2.2
DOT Marine Pollutant	NP
Description	UN1046, Helium, compressed, 2.2
Emergency Response Guide Number	120

IATA

UN number or ID number	UN1046
UN proper shipping name	Helium, compressed
Transport hazard class(es)	2.2
Environmental hazards	No
Special Provisions	A69, A202
ERG Code	2L
Description	UN1046, Helium, compressed, 2.2

IMDG

UN number or ID number	UN1046
UN proper shipping name	Helium, compressed
Transport hazard class(es)	2.2
Marine pollutant indicator	NP
Special Provisions	378, 392, 406, 974
EmS-No.	F-C, S-V
Description	UN1046, Helium, compressed, 2.2

15. Regulatory information**International Inventories**

Contact supplier for inventory compliance status

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Helium 7440-59-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. Other information

NFPA **Health hazards** 0 **Flammability** 0 **Instability** 0 **Special hazards** SA
HMIS **Health hazards** 0 **Flammability** 0 **Physical hazards** 3 **Personal protection** -

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECEL	Existing Chemical Exposure Limit
EINECS	European Inventory of Existing Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NDSL	Non-Domestic Substances List (Canada)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development

OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 U.S. Environmental Protection Agency
 U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 U.S. Hazardous Substance Data Bank (HSDB)
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 U.S. National Institute for Occupational Safety and Health (NIOSH)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications

International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

United Nations World Health Organization (WHO)

Issuing Date 24-Jan-1989

Revision date 09-Apr-2026

Revision Note Company logo. Company Name. Company contact information.

Disclaimer

Nippon Sanso Matheson, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Nippon Sanso Matheson, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Safety Data Sheet